





Group: Car# 5


[illegible]

FINAL




18632-CM31
MAIN CAR OPERATING PANEL
Qty 1


FIRE SERVICE CABINET



FIRE INSTRUCTION PLATE
BEHIND FIRE SERVICE DOOR



SERVICE CABINET



CAR #	INSTALLATION #	CAPACITY	HINGE (LEFT OR RIGHT)
5	39782	675 KG OR 9 PERSONS	RIGHT

ITEM	DESCRIPTION	QTY
FINISHES		
1	12ga. #4 Brushed Stainless Steel Plate	1
2	16ga Satin Coat Backbox	1
3	Stainless Steel 0.375 DIA x 2" Spring (CFL0001)	1
4C		#

POSITION INDICATORS		
5	CE Mini 5.7 Elite Graphical Position Indicator - EMN57-BSX	1
6C		#

FIRE SERVICE		
7	BL Push Button (Door Open, Door Close, Call Cancel)	3
8	Fire Cabinet Latch-Lock, Key Removes @ 12:00 FEO-K1	1
9	Fire Hat Vanishing Indicator	1
10	Fire Hat Vanishing Indicator	1
11	Fire Service Phase 2 Key Switch, Keyed FEO-K1	1
12	Run/Stop Toggle Switch, 2 Position Maintained 1C/1NO	1
13C		#

AUDIBLE		
14	Car Call Accepted Piezo	1
15	CE Voice Annunciation AMCUM-MMB	1
16	Fire Operation Buzzer	1
17	Floor Passing Chime	1
18	Nudging Buzzer	1
19	Webb CMWP302 ADA-Compliant Hands-Free Auto-Dialer	1
20C		#



PUSH BUTTONS		
21	Stainless Steel BS 'Moon', Red Illumination, Multivolt Screw Terminal (Alarm), Mirrored Stainless Surround with Stainless on Black Tactile	1
22	Stainless Steel BS 'Moon' 4 LED, Red Illumination, Screw Terminal, Mirrored Stainless Surround with Stainless on Black Tactile	3
23	Stainless Steel BS 'Moon' Non Illuminated, Screw Terminal(Phone), Mirrored Stainless Surround with Stainless on Black Tactile	1
24	Stainless Steel, BS 'Moon' Non Illuminated, Stainless Steel, (Door Open/ Door Close), Mirrored Stainless Surround with Stainless on Black Tactile	2
25C		#

SERVICE KEY SWITCHES		
26	Duplex Receptacle, 15a/120v - Decor White	1
27	Emergency Light Key Switch, 2 Position Momentary X4001	1
28	Fan 2-spdt Key Switch, 3 Position Maintained X4001	1
29	Independent Service Key Switch, 2 Position Maintained X4001	1
30	Inspection Key Switch, 2 Position Maintained X4002	1
31	Light Key Switch, 2 Position Maintained XLIGHT	1
32	Service Cabinet Cam-Lock, Key Removes @ 12:00 X4001	1
33	Stop Key Switch, 2 Position Maintained X4002	1
34	USB Port For Position Indicator	1
35	Voice Annunciator Volume Control Switch	1
36	Voice Annunciator/Off/Chime Key Switch, 3 Position Maintained X4001	1
37C		#
38C		#


MARKINGS		
39	Call Received When Flashing Engraving 1/4" H Black	1
40	Car Number Engraving 1/4" H, 1"H Black	1
41	Installation Number Engraving 1/4" H, 3/8"H Black	1
42	Maximum Capacity Engraving 1/4" H Black	1
43	Phase 2 Engraving 3/8"H Red	1
44	Push For Help Engraving 3/16"H Black	1
45C		#

MISCELLANEOUS ITEMS		
46	3.25"x 3.25" Dark Gray Lens - Provision For Card Reader	1
47	Insert Plate and Bracket for Card Reader	1
48C		#
49C		#


GENERAL INFO	MAD MAD ELEVATOR INC		
	Note: UNLESS OTHERWISE SPECIFIED TOLERANCES ARE AS FOLLOWS UNIT: INCHES		
	X = ±.062 XX = ±.030 XXX = ±.010 HOLE DIAMETERS = ±.005 ANGLES = ±1° FRACTIONAL = ±1/32		
	Project Name: Nav Canada Centre		
	Location: Cornwall, ON		
	Customer: Rideau Elevator		
	Customer Contract/Ref: -		
	Dwg Name: MAIN CAR OPERATING PANEL		
	Group: Car# 5		
	Voltage: 24V		Signal Format: Microcomm
	Controller: Smartrise		Code Year: 2010
	Dwg No	Qty	Dwg
	18632-CM31	1	FH
		Date	Rev
		D:9/14/2020	4
		Scale	NTS



PRE-WIRED





18632-HS31
Terminal (Up) Hall Station w/ FS
Qty 1



ITEM	DESCRIPTION	QTY
FINISHES		
1	18ga Satin Coat Backplate	1
2	20ga. #4 Brushed Stainless Steel Plate	1
3	6" Silver Zama Gilda Endcaps	1
4C		#
FIRE SERVICE		
5	Fire Service Phase 1 Keyswitch, Keyed FEO-K1	1
6	Webb Line Communication Failure Monitor Board (LA-SC)	1
7C		#
PUSH BUTTONS		
8	BS Moon Pushbutton, SS Finish, Green, 5 LED, 24V, Screw Terminal	1
9	Julius Mirror SS Surrounds	1
10	Julius Surround Tactile, Up Arrow, SS on Black	1
11C		#
SERVICE KEY SWITCHES		
12	Line Communication Failure Reset K/S, 2 Pos. Momentary, Keyed x4001	1
13C		#
14C		#
MARKINGS		
15	Appendix O Triflame Engraving and Insert as shown - Bilingual ANSI Code	1
16	Emergency Communcation Failure Engraving as shown	1
17	Emergency Power Engraving as shown	1
18	Phase 1 Engraving as shown	2
19C		#
INDICATORS		
20	Red LED, Panel Mount	2
GENERAL INFO	<div><div>MAD</div><div>MAD ELEVATOR INC</div></div>	
	Note: UNLESS OTHERWISE SPECIFIED TOLERANCES ARE AS FOLLOWS UNIT: INCHES	
	.X = ±.062 .XX = ±.030 .XXX = ±.010 HOLE DIAMETERS = ±.005 ANGLES = ±1° FRACTIONAL = ±1/32	
	Project Name: Nav Canada Centre	
	Location: Cornwall, ON	
	Customer: Rideau Elevator	
	Customer Contract/Ref: -	
	Dwg Name: Terminal (Up) Hall Station w/ FS	
	Group: Car# 5	
	Voltage: 24V	Signal Format: T.B.D
	Controller: Smartrise	
	Code Year: 2010	
	Dwg No	Qty
	Date	
	Rev	Scale
18632-HS31		1
FH		D:8/26/2020
4		NTS

PRE-WIRED

FINAL





18632-HS32
Intermediate Hall Station
Qty 1

ITEM	DESCRIPTION	QTY			
FINISHES					
1	18ga Satin Coat Backplate	1			
2	20ga. #4 Brushed Stainless Steel Plate	1			
3	6" Silver Zama Gilda Endcaps	1			
4C		#			
PUSH BUTTONS					
5	BS Moon Pushbutton, SS Finish, Green, 5 LED, 24V, Screw Terminal	1			
6	BS Moon Pushbutton, SS Finish, Red 4 LED, 24V, Screw Terminal	1			
7	Julius Mirror SS Surrounds	2			
8	Julius Surround Tactile, Down Arrow, SS on Black	1			
9	Julius Surround Tactile, Up Arrow, SS on Black	1			
10C		#			
MARKINGS					
11	Appendix O Triflame Engraving and Insert as shown - Bilingual ANSI Code	1			
12C		#			
GENERAL INFO	<div><div>MAD</div><div>MAD ELEVATOR INC</div></div>				
	Note: UNLESS OTHERWISE SPECIFIED TOLERANCES ARE AS FOLLOWS UNIT: INCHES .X = ±.062 .XX = ±.030 .XXX = ±.010 HOLE DIAMETERS = ±.005 ANGLES = ±1° FRACTIONAL = ±1/32				
	Project Name: Nav Canada Centre				
	Location: Cornwall, ON				
	Customer: Rideau Elevator				
	Customer Contract/Ref: -				
	Dwg Name: Intermediate Hall Station				
	Group: Car# 5				
	Voltage: 24V		Signal Format: N/A		
	Controller: Smartrise		Code Year: 2010		
Dwg No	Qty	Dwg	Date	Rev	Scale
18632-HS32	2	FH	D:8/26/2020	4	NTS

PRE-WIRED




FINAL




18632-HS33
Terminal (Down) Hall Station
Qty 1

ITEM	DESCRIPTION	QTY			
FINISHES					
1	18ga Satin Coat Backplate	1			
2	20ga. #4 Brushed Stainless Steel Plate	1			
3	6" Silver Zama Gilda Endcaps	1			
4C		#			
PUSH BUTTONS					
5	BS Moon Pushbutton, SS Finish, Red 4 LED, 24V, Screw Terminal	1			
6	Julius Mirror SS Surrounds	1			
7	Julius Surround Tactile, Down Arrow, SS on Black	1			
8C		#			
MARKINGS					
9	Appendix O Triflame Engraving and Insert as shown - Bilingual ANSI Code	1			
10C		#			
GENERAL INFO	<div><div>MAD</div><div>MAD ELEVATOR INC</div></div>				
	Note: UNLESS OTHERWISE SPECIFIED TOLERANCES ARE AS FOLLOWS		.X = ±.062 .XX = ±.030 .XXX = ±.010 HOLE DIAMETERS = ±.005 ANGLES = ±1° FRACTIONAL = ±1/32		
	UNIT: INCHES				
	Project Name:		Nav Canada Centre		
	Location:		Cornwall, ON		
	Customer:		Rideau Elevator		
	Customer Contract/Ref:		-		
	Dwg Name:		Terminal (Down) Hall Station		
	Group:		Car# 5		
	Voltage:		24V	Signal Format:	
Controller:		Smartrise	Code Year:		
			2010		
Dwg No	Qty	Dwg	Date	Rev	Scale
18632-HS33	1	FH	D:8/26/2020	4	NTS


FINAL



18632-HP31
Hall PI
Qty 1

ITEM	DESCRIPTION	QTY
FINISHES		
1	18ga Satin Coat Backbox - Ship Loose	1
2	18ga Satin Coat Backplate	1
3	20ga. #4 Brushed Stainless Steel Plate	1
4	6" Silver Zama Gilda Endcaps	1
5C		#
POSITION INDICATORS		
6	CE Mini 4.3 Elite Graphical Position Indicator	1
7C		#
AUDIBLE		
8	Dual Stroke Chime 24V	1
9C		#
GENERAL INFO	<div><div></div><div>MAD ELEVATOR INC</div></div>	
	Note: UNLESS OTHERWISE SPECIFIED TOLERENCES ARE AS FOLLOWS UNIT: INCHES .X = ±.062 .XX = ±.030 .XXX = ±.010 HOLE DIAMETERS = ±.005 ANGLES = ±1° FRACTIONAL = ±1/32	
	Project Name: Nav Canada Centre	
	Location: Cornwall, ON	
	Customer: Rideau Elevator	
	Customer Contract/Ref: -	
	Dwg Name: Hall PI	
	Group: Car# 5	
	Voltage: 24V	
	Signal Format: Microcomm	
Controller: Smartrise		
Code Year: 2010		
Dwg No	Qty	Dwg
18632-HP31	1	FH
Date		Rev
D:8/7/2020		3
Scale		NTS


FINAL




18632-CD31
Intermediate Car Directional Arrow
Qty 2



ITEM	DESCRIPTION	QTY
FINISHES		
1	14ga. #4 Brushed Stainless Steel Face	1
2	18ga Satin Coat Backbox	1
3	8-32, 3/4" SS Button Head Screw - 3-32 Hex	2
4C		#
POSITION INDICATORS		
5	Vandal Resistant Arrow - Green LED	1
6	Vandal Resistant Arrow - Red LED	1
7C		#
AUDIBLE		
8	Dual Stroke Chime 24V	1
9C		#
GENERAL INFO	 MAD ELEVATOR INC	
	Note: UNLESS OTHERWISE SPECIFIED TOLERANCES ARE AS FOLLOWS UNIT: INCHES	
	.X = ±.062 .XX = ±.030 .XXX = ±.010 HOLE DIAMETERS = ±.005 ANGLES = ±1° FRACTIONAL = ±1/32	
	Project Name: Nav Canada Centre	
	Location: Cornwall, ON	
	Customer: Rideau Elevator	
	Customer Contract/Ref: -	
	Dwg Name: Intermediate Car Directional Arrow	
	Group: Car# 5	
	Voltage: 24V	
	Signal Format: N/A	
	Controller: Smartrise	
	Code Year: 2010	
Dwg No	Qty	Dwg
18632-CD31	2	FH
Date	Rev	Scale
D:8/7/2020	3	NTS

FINAL




A700-HA07
#4SS Sight Guard Access Station Bilingual
Qty 2

ITEM	DESCRIPTION	QTY				
FINISHES						
1	16ga. #4 Brushed Stainless Steel Plate	1				
2	18ga Satin Coat Backbox	1				
MARKING						
4	Access Station Engraving - 0.25" H Black	1				
5	Key Switch Engraving - 0.1" H Black	1				
SERVICE KEYSWITCH						
5	Keyswitch X4002, Screw Terminals, CD4970	1				
GENERAL INFO	<div><div></div><div>MAD ELEVATOR INC</div></div>					
	Note: UNLESS OTHERWISE SPECIFIED TOLERANCES ARE AS FOLLOWS UNIT: INCHES <div><div>X = ±.062 XX = ±.030 XXX = ±.010 HOLE DIAMETERS = ±.005 ANGLES = ±1° FRACTIONAL = ±1/32</div></div>					
	Project Name: Nav Canada Centre					
	Location: Cornwall, ON					
	Customer: Rideau Elevator					
	Customer Contract/Ref: -					
	Dwg Name: Sight Guard Access Station					
	Group: Car# 5					
	Voltage: 24V			Signal Format: N/A		
	Controller: Smartrise			Code Year: 2010		
Dwg No		Qty	Dwg	Date	Rev	Scale
A700-HA07		2	FH	D:8/7/2020	3	NTS




18632-BT31
Jamb Mount Tactile #4SS on Black
QTY 6

"2" PER FLOOR @ FLOORS "*1,2,3"
CAR # "5"

ITEM	DESCRIPTION	QTY
FINISHES		
1	Jamb Mount Tactile #4SS on Black	1
GENERAL INFO	<div><div></div><div>MAD ELEVATOR INC</div></div>	
	Note: UNLESS OTHERWISE SPECIFIED TOLERANCES ARE AS FOLLOWS	
	UNIT: INCHES	
	.X = ±.062 .XX = ±.030 .XXX = ±.010 HOLE DIAMETERS = ±.005 ANGLES = ±1° FRACTIONAL = ±1/32	
	Project Name: Nav Canada Centre	
	Location: Cornwall, ON	
	Customer: Rideau Elevator	
	Customer Contract/Ref: -	
	Dwg Name: Jamb Mount Tactile #4SS on Black	
	Group: Car# 5	
Voltage: 24V		
Signal Format: N/A		
Controller: Smartrise		
Code Year: 2010		
Dwg No	Qty	Dwg
18632-BT31	6	FH
Date		Rev
D:8/7/2020		3
Scale		NTS

FINAL



CALAPS
Webb LA-PS Power Supply
QTY 1

GENERAL INFO	<div><div>MAD</div><div>MAD ELEVATOR INC</div></div>					
	Note: UNLESS OTHERWISE SPECIFIED TOLERANCES ARE AS FOLLOWS			X = ±.062 XX = ±.030 XXX = ±.010 HOLE DIAMETERS = ±.005 ANGLES = ±1° FRACTIONAL = ±1/32		
	UNIT: INCHES					
	Project Name: Nav Canada Centre					
	Location: Cornwall, ON					
	Customer: Rideau Elevator					
	Customer Contract/Ref: -					
	Dwg Name: Webb LA-PS Power Supply					
	Group: Car# 5					
	Voltage: 24V			Signal Format: N/A		
Controller: Smartrise			Code Year: 2010			
Dwg No	Qty	Dwg	Date	Rev	Scale	
CALAPS	1	FH	D:8/7/2020	3	NTS	